

DEWALT®



DEWALT®



*Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18. Copyright © 2024 DeWALT. The following are trademarks for one or more DeWALT power tools, accessories, anchors and concrete adhesives: The yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool.

RDG/GDS/4370444

DEWALT®




*Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18. Copyright © 2024 DeWALT. The following are trademarks for one or more DeWALT power tools, accessories, anchors and concrete adhesives: The yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool.

RDG/GDS/4370444

DEWALT®



GREEN LASER™




SELF LEVELING™

20V MAX*

DEWALT®



DEWALT®



DRYWALL

TM

Copyright © 2024 DeWALT. The following are trademarks for one or more DeWALT power tools, accessories, anchors and concrete adhesives: The yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool.

RDG/GDS/4370444